

OTTER NAILS (INTERIOR USE) BPIR DECLARATION

Version 1.0 November 2023



DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

Airco Fasteners Pty Ltd t/a Airco Brands has provided this declaration to satisfy the provisions of Building (Building Product Information Requirements) Regulations 2022.

COMPANY DETAILS

Name	Airco Fasteners Pty Ltd t/a Airco Brands
Role	Supplier
NZBN	9429051797348
Address	178 – 180 Adderley St West, Auburn, NSW 2144, Australia
Website	www.OtterNZ.co.nz
Email	orders@aircobrands.com.au
Phone	+61 300 365 800

DESCRIPTION OF BUILDING PRODUCT

Airco Brands supplies Otter nails (loose i.e. not collated) under the Otter brand for interior applications. They are supplied with a variety of shank and head types, along with different finish coatings. Uses include, framing, fixing plasterboard and other lining.

For clarity, nails are supplied with their intended use on the container label.

Otter nails (interior use) are summarised as follows:

Nail Type	Shank type	Finish
Flat Head	Plain Shank	Bright
Jolt Head	Plain Shank	Bright
Hardboard	Plain Shank	Zinc Plated
Plasterboard	Plain Shank Annular Shank Helical Shank	Zinc Gold Plated (also known as yellow zinc plating)
Soft Sheet	Plain Shank	Zinc Plated
Wallboard	Plain Shank	Zinc Plated
Panel Pins	Plain Shank	Zinc Plated
Particleboard	Helical Shank	Bright

Products covered by this BPIR are identified with the prefix BHPB, BHPZ, FHPB, PLAD, PRHB, HBPC, SSPC, WBPC.

AIRCO BRANDS

178 – 180 ADDERLEY ST WEST, AUBURN, NSW 2144, AUSTRALIA

+61 300 365 800 | www.OtterNZ.co.nz



Uncontrolled in printed format

CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

Otter interior application nails comply with the following building code clauses:

Clause	Evidence
B1 (Structure) B1.3.1, B1.3.2 B1.3.3 (a, f, h, i, j, m, q)	Otter interior nails are manufactured from hardened nail wire and finished as: Bright – Plain polished steel.
B2 (Durability) B2.3.1 (a, b)	Zinc plated (galvanized) – Electrodeposition of a thin coating of zinc. Zinc gold plating – with a high chromium content applied to the surface after zinc plating
F2 (Hazardous Building Materials) F2.3.1	Section 4, NZS3604:2011, table 4.1 and table 4.3, allow non-galvanised, mild steel in all zones where used in closed environments. Otter nails (interior use) meets or exceeds this requirement.

FOR FURTHER INFORMATION

Otter nails (interior use) must be used in accordance with all information supplied by Airco Brands Pty Ltd. For supporting information refer to www.OtterNZ.co.nz.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's processes and is, therefore, to the best of my knowledge, correct.

I can also confirm Otter nails (interior use), as referred to in this statement, are not subject to a warning or ban under s26 of the Building Act.

Signed for and on behalf Airco Fasteners Pty Ltd t/a Airco Brands:

Shelley Lehman

Shelley Lehman
NATIONAL ACCOUNTS MANAGER NZ

November 2023